

ਦਫਤਰ ਨਗਰ ਪੰਚਾਇਤ, ਸਰਦੂਲਗੜ੍ਹ, ਮਾਨਸਾ।

eonpsardulgarh2012@gmail.com

ਨੰ: 1343

ਮਿਤੀ 19/6/2026

ਵੱਲ:

ਪ੍ਰਿੰਸੀਪਲ, (97806-70234)

ਰੋਇਲ ਕਾਨਵੈਂਟ ਸਕੂਲ,

ਸਰਦੂਲਗੜ੍ਹ।

ਵਿਸ਼ਾ:-

Request for Issuance of Health and Sanitary Certificate for Royal

Convent School, Sardulgarh.

ਹਵਾਲਾ:-

ਆਪ ਦੇ ਅਦਾਰੇ ਦਾ ਪੱਤਰ ਨੰ: RCS/26/304 ਮਿਤੀ 20/05/2026

ਸ਼੍ਰੀਮਾਨ/ਸ਼੍ਰੀਮਤੀ ਜੀ,

ਉਕਤ ਵਿਸ਼ੇ ਸਬੰਧੀ ਆਪ ਪਾਸੋਂ ਪ੍ਰਾਪਤ ਬਿਨੈ ਪੱਤਰ ਦੇ ਸਬੰਧ ਵਿੱਚ ਦਫਤਰ ਨਗਰ ਪੰਚਾਇਤ, ਸਰਦੂਲਗੜ੍ਹ ਦੇ ਸੈਨੇਟਰੀ ਇੰਸਪੈਕਟਰ ਵੱਲੋਂ ਆਪ ਦੇ ਅਦਾਰੇ ਦੀ ਚੈਕਿੰਗ ਕੀਤੀ ਗਈ, ਜਿਸ ਅਧੀਨ ਹੇਠ ਲਿਖੇ ਅਨੁਸਾਰ ਤਰੁੱਟੀਆਂ ਪਾਈਆਂ ਗਈਆਂ ਹਨ, ਜਿਨ੍ਹਾਂ ਨੂੰ ਦੂਰ ਕਰਨ ਉਪਰੰਤ ਹੀ ਆਪ ਦੇ ਅਦਾਰੇ ਨੂੰ ਸਿਹਤ ਅਤੇ ਸੈਨੀਟੇਸ਼ਨ ਸਰਟੀਫਿਕੇਟ ਇਸ ਆਧਾਰ ਤੇ ਜਾਰੀ ਕੀਤਾ ਜਾਂਦਾ ਹੈ।

- 1) ਇਹ ਕਿ ਆਪ ਦੇ ਅਦਾਰੇ ਵੱਲੋਂ ਜੋ ਕੂੜਾ ਖਾਲੀ ਪਲਾਟ ਵਿੱਚ ਸੁੱਟਿਆ ਜਾਂਦਾ ਹੈ ਉਸ ਦਾ ਨਿਪਟਾਰਾ ਗਿੱਲੇ ਅਤੇ ਸੁੱਕੇ ਰੂਪ ਵਿੱਚ ਨਗਰ ਪੰਚਾਇਤ, ਸਰਦੂਲਗੜ੍ਹ ਪਾਸੋਂ ਹਫਤਾਵਾਰੀ ਟਰਾਲੀ ਮੰਗਵਾ ਕੇ ਮਹੀਨੇ ਬਾਅਦ ਬਣਦੇ ਯੂਜ਼ਰ ਚਾਰਜਿਜ਼ ਅਦਾ ਕਰਕੇ ਰਸੀਦ ਪ੍ਰਾਪਤ ਕੀਤੀ ਜਾਵੇ।
- 2) ਇਹ ਕਿ ਆਪ ਵੱਲੋਂ ਆਪਣੇ ਅਦਾਰੇ ਦਾ ਜੋ ਵੇਸਟ ਨਿਕਾਸੀ ਵਾਲਾ ਪਾਣੀ ਸੈਪਟਿਕ ਟੈਂਕ ਰਾਹੀਂ ਇੱਕਠਾ ਕਰਵਾ ਕੇ ਪ੍ਰਾਈਵੇਟ ਡੀਸੇਲਜਰ ਤੋਂ ਡੀਸੇਲਜ਼ ਕਰਵਾਇਆ ਜਾਂਦਾ ਹੈ, ਉਸ ਬਾਬਤ ਇਹ ਯਕੀਨੀ ਬਣਾਇਆ ਜਾਵੇ ਕਿ ਸਬੰਧਿਤ ਡੀਸੇਲਜਰ ਵੱਲੋਂ ਰੂਲਾਂ/ਹਦਾਇਤਾਂ ਅਨੁਸਾਰ ਨਗਰ ਪੰਚਾਇਤ, ਸਰਦੂਲਗੜ੍ਹ ਦੇ ਸੀਵਰੇਜ ਵਿੱਚ ਹੀ ਡੀਸੇਲਜ਼ ਕੀਤਾ ਜਾਵੇ। ਉਪਰੰਤ ਡੀਸੇਲਜ਼ਿੰਗ ਉਸਦੀ ਜੀ.ਪੀ.ਐੱਸ, ਵੀਡੀਓ ਇਸ ਦਫਤਰ ਨੂੰ ਹਰ ਵਾਰ (82830-41200) ਤੇ ਵੱਟਸਅਪ ਕੀਤੀ ਜਾਵੇ। ਇਸ ਤੋਂ ਵੱਖ ਸਾਰੇ ਵੇਸਟ ਪਾਣੀ ਦੀ ਨਿਕਾਸੀ ਸੀਵਰੇਜ ਦਾ ਕੁਨੈਕਸ਼ਨ ਲੈ ਕੇ ਉਸ ਵਿੱਚ ਹੀ ਕਰਵਾਈ ਜਾਵੇ।
- 3) ਇਹ ਕਿ ਬੱਚਿਆਂ ਦੇ ਪੀਣ ਵਾਲੇ ਪਾਣੀ ਦੇ ਵਾਟਰ ਕੂਲਰ ਦੇ ਆਲੇ-ਦੁਆਲੇ ਨਿਕਾਸੀ ਪਾਣੀ ਇੱਕਠਾ ਨਾ ਹੋਣ ਦਿੱਤਾ ਜਾਵੇ ਤਾਂ ਜੋ ਡੋਂਗੂ/ਮਲੇਰੀਆ ਮੱਛਰਾਂ ਦੀ ਪੈਦਾਵਾਰ ਨਾ ਹੋ ਸਕੇ। ਉਕਤ ਪਾਣੀ ਨੂੰ ਬੂਟਿਆਂ/ਪੌਦਿਆਂ ਨੂੰ ਪਾ ਕੇ ਵਰਤੋਂ ਵਿੱਚ ਲਿਆਂਦਾ ਜਾ ਸਕਦਾ ਹੈ।
- 4) ਇਹ ਕਿ ਹਰ ਸ਼ੁੱਕਰਵਾਰ/ਸ਼ਨੀਵਾਰ ਡਰਾਈ ਡੇ ਮਨਾਇਆ ਜਾਵੇ। ਜੇਕਰ ਸਕੂਲ ਦੀ ਹਦੂਦ ਅੰਦਰ ਕਿਤੇ ਵੀ ਪਾਣੀ ਆਦਿ ਖੜ੍ਹਾ ਹੈ, ਉਸ ਦੀ ਡੀਵਾਟਰਿੰਗ ਕੀਤੀ ਜਾਵੇ ਅਤੇ ਲੋੜ ਪੈਣ ਤੇ ਸਿਹਤ ਵਿਭਾਗ ਦੀਆਂ ਸੇਵਾਵਾਂ ਲਈਆਂ ਜਾਣ ਅਤੇ ਲੋੜੀਂਦੇ ਇੰਸੈਕਟੀਸਾਈਟਸ ਦੀ ਵਰਤੋਂ ਕੀਤੀ ਜਾਵੇ।
- 5) ਇਹ ਕਿ ਜੇਕਰ ਸਕੂਲ ਵਿੱਚ ਵਿਦਿਆਰਥਣਾਂ/ਮਹਿਲਾ ਸਟਾਫ ਵੱਲੋਂ ਸੈਨੇਟਰੀ ਪੈਡਸ ਦੀ ਵਰਤੋਂ ਕੀਤੀ ਜਾਂਦੀ ਹੈ ਤਾਂ ਉਸ ਦਾ ਵੀ ਰੂਲਾਂ/ਹਦਾਇਤਾਂ ਅਨੁਸਾਰ ਨਿਪਟਾਰਾ ਕੀਤਾ ਜਾਵੇ।

ਉਪਰੋਕਤ ਅਨੁਸਾਰ ਕੰਮਾਂ ਸਬੰਧੀ ਕਿਸੇ ਵੀ ਕਿਸਮ ਦੀ ਜਾਣਕਾਰੀ ਬਾਬਤ ਇਸ ਦਫਤਰ ਦੇ ਸੈਨੇਟਰੀ ਇੰਸਪੈਕਟਰ ਨਾਲ ਤਾਲਮੇਲ ਕੀਤਾ ਜਾਵੇ। ਇਹ ਸਰਟੀਫਿਕੇਟ ਜਾਰੀ ਹੋਣ ਦੀ ਮਿਤੀ ਤੋਂ ਲੈ ਕੇ ਇੱਕ ਸਾਲ ਤੱਕ ਲਈ ਵੈਧ ਹੋਵੇਗਾ।


Head Mistress
Royal Convent School
Sardulgarh (Mansa)


ਕਾਰਜ ਸਾਧਕ ਅਫਸਰ,
ਨਗਰ ਪੰਚਾਇਤ, ਸਰਦੂਲਗੜ੍ਹ।

19/6/26

English Translation

Municipal Council, Sardulgarh, Mansa
Email: eonpsardulgarh2012@gmail.com



Letter No. 1343

Date: 19/06/2026

To:

Principal, (97806-70234)
Royal Convent School
Sardulgarh

Subject: Issuance of Health and Sanitary Certificate for Royal Convent School, Sardulgarh

Reference: Your letter No. RCS/26/304 dated 20/05/2026.

Dear Sir/Madam,


With reference to the above-mentioned subject and your application received by this office, the following conditions have been observed. The Health and Sanitary Certificate is being issued to your institution on the condition that these requirements are complied with:

1. The solid waste generated by the school must not be disposed of in vacant plots. Instead, it should be segregated into wet and dry waste and collected through the Municipal Council's weekly garbage trolley service. The prescribed user charges should be paid regularly, and payment receipts should be maintained.
2. Wastewater from the school should be collected through a septic tank and disposed of through an authorized private desludging service. The desludging details should be shared with the Municipal Council (WhatsApp: 82830-41200). Alternatively, if a sewerage connection is available, all wastewater should be discharged through the municipal sewerage system.
3. Care should be taken to ensure that water does not accumulate around drinking water coolers, as stagnant water may become a breeding ground for mosquitoes causing diseases such as dengue and malaria. Such water may instead be used for watering plants.
4. A Dry Day should be observed every Friday or Saturday. Any stagnant water within the school premises should be removed immediately. Whenever necessary, assistance from the Health Department should be obtained, and appropriate insecticides should be used.
5. If female students or women staff members use sanitary pads, their disposal must be carried out strictly in accordance with the prescribed rules and government guidelines.



Ravi
Head Mistress
Royal Convent School
Sardulgarh (Mansa)

For any clarification or assistance regarding the above conditions, the school may coordinate with the Sanitary Inspector of this office. This Health and Sanitary Certificate shall remain valid for one year from the date of its issue.



Executive Officer
Municipal Council, Sardulgarh

Certified that this Certificate/Document
is TRANSLATED from Punjabi
Language to English Language USE
(1)(h) of Notaries act 1952 (India)



tested as identified
Santa Singh
SANTA SINGH
NOTARY
Distt MANSA (Pb.)
25-6-28

Ram
Head Mistress
Royal Convent School
Sardulgarh (Mansa)

DISTRICT WATER TESTING LABORATORY, MANSA

Water Supply and Sanitation division no. 1 Complex, Jawaharke, Mansa, District Mansa
dwtlmansa@gmail.com

To,

ROYAL CONVENT SCHOOL
OLD CINEMA ROAD, SARDULGARH-151507


No.: DWTL/MNS/2627/00150 Dated : 12/05/2026

Subject : Testing Reports of Water Samples.

Reference: Your Letter/SRF No. RCS/26/301 Dated: 11/05/2026

As per above cited subject and reference, Please find enclosed here with the report of 1 Water sample/s received on dated 11/05/2026. It is request to fill the attached feedback form and send it back to District Water Testing Laboratory, Mansa

D/A: Test Report



**Authorized Signatory
For, District Water Testing Laboratory
Mansa**



**Head Mistress
Royal Convent School
Sardulgarh (Mansa)**



TC-11386

TEST REPORT

Name & Address of Customer : ROYAL CONVENT SCHOOL OLD CINEMA ROAD, SARDULGARH-151507		Customer Reference No.	No : RCS/26/301 Dated : 11/05/2026
		Sample Submitted by	MR SITA RAM
		Date of Sample Receipt	11/05/2026
		Analysis Starting Date	11/05/2026
		Analysis completion Date	12/05/2026
Discipline :		Group: Water	
ULR No.:	TC11386260000225F	Sample Type :	Water
Test Report No.:	DWTL/MNS/2627/00150	Date of Issue :	12/05/2026
Registration no.:	DWTL/MNS/REG2627/00352	Condition of Sample :	Unsealed
Collection Point:	Treatment Plant (RO/CWPP/ARP/HH Purifier)	Quantity/Type of Bottle:	1000 ml / Transparent Glass Bottle
Scheme/Source:	Not Mentioned(Not Mentioned)	Location/Depth :	R C SCHOOL, OLD CINEMA ROAD, SARDULGARH-151507 / NA
Village :	Not Mentioned	Habitation :	Not Mentioned
Block:	Not Mentioned	District :	Mansa
Latitude :	Not Mentioned	Longitude:	Not Mentioned

Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	pH	7.11@25°C	6.5-8.5	No Relaxation	--	IS 3025 (Part 11-2022) Electrometric Method
2	Colour	2	5	15	CU	IS 3025(Part 4-2021) Visual Comparison Method
3	Odour	Agreeable	Agreeable	Agreeable	--	IS 3025 (Part 5 – 2018) (Second Revision)
4	Taste	NT	Agreeable	Agreeable	--	IS 3025 (Part 8 – 2023)
5	TDS	67	500	2000	mg/l	IS 3025 (Part 16-2023) Gravimetric Method
6	Turbidity	BDL	1	5	NTU	IS 3025 (Part 10-2023) Nephelometric Method
7	T. Alkalinity(CaCO ₃)	20	200	600	mg/l	IS 3025 (Part 23-2023) Indicator Method
8	T. Hardness(CaCO ₃)	50	200	600	mg/l	IS 3025 (Part 21- 2009)(RA 2023) EDTA Method
9	Calcium(Ca)	7.21	75	200	mg/l	IS 3025 (Part 40-2024) EDTA Titrimetric Method
10	Magnesium(Mg)	7.77	30	100	mg/l	APHA (24th Ed.2023) Method: 3500-Mg+2 B By Calculation Method
11	Chloride(Cl)	28.99	250	1000	mg/l	IS 3025 (Part 32-1988) Argentometric Method

This Report is issued under the following terms & Condition :

1. The results apply to the sample as received only.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed, ND=Not Detected, T=Total)
5. * Value not available or test not performed for this parameter.
6. Temperature condition limit: 25±5°C and Humidity condition limit:50 ±20%

Reviewed and Approved By

Komal Sharma

Ms. Komal Sharma
Quality Manager
Authorized Signatory
For, District Water Testing Laboratory
Mansa

Romy
Head Mistress
Royal Convent School
Sardulgarh (Mansa)

----- End of the Test Report -----